

AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Underwater Kinetics		Manufacturer:	Underwater Kinetics
Address:	13400 Danielson stre Poway, CA 92064	et	Address:	13400 Danielson street Poway, CA 92064
Country:	USA		Country:	USA
Contact:	Mr. Ken Courian		Contact:	Mr. Ken Courian
Phone:	503-293-8956		Phone:	503-293-8956
FAX:	858-513-9111		FAX:	858-513-9111
Email:	kcourian@uwkinetics	.com	Email:	kcourian@uwkinetics.com
Party Author Report Issuir	ized To Apply Mark: ng Office:	Same as Manufacture Cortland, NY	\wedge	68
Control Number: <u>3188451</u>		Authorized by:		
			Willia	m T. Starr, Certification Manager
		C	Us	

This document supersedes all previous Authorizations to Mark for the noted Report Number.

Intertek

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc. 165 Main Street, Cortland, NY 13045 Telephone 800-345-3851 or 607-753-6711 Fax 607-756-6699

	Intrinsically Safe Apparatus and Associated Apparatus for Use in Class I, II, III, Division 1, Hazardous (Classified) Locations, (UL-913, Fifth Edition, February 24, 1997)				
Standard(s):	Electric Flashlights and Lanterns for Use in Hazardous (Classified) Locations (UL-783, Sixth Edition, revised July 18, 2007)				
	Intrinsically Safe and Non-incendive Equipment for Use in Hazardous Locations, (CSA C22.2 No.157-92, General Instruction No.1 June 1992, Reaffirmed 2006)				
Product:	Flashlight for use in Class I, Division 1, Groups C,D , Class II Division 1 Groups E,F, G and Class III hazardous locations, with Ambient temperature range of -20C to +40C with a temperature code of T4. When used with three Energizer E93, Duracell MN1400. or Rayovac 814 alkaline batteries				



AUTHORIZATION TO MARK

Models:

The 3C -AT5 differ by body switch location. The models differ by a front switch, tail switch, or no switch at all (turned on and off by tightening and loosening the end bezzel). T indicates switch in tail, N indicates no switch, and S indicates switch on the side. Example 3CS indicates switch on the side.